## Maesa indica Wall.

Family : Primulaceae
Parts Used : Root , Fruit
Vernacular Names

English : Maesa Malayalam : Kattuvizhal

Hindi : Guddehargi, Mandane, Tanipele

Sanskrit : Atki

Bengali : Matabimbiya Kannada : Calicot. Tamil : Vamarai

Telungu: Gadchiana, Jiundali

## **Distribution and Habitat:** Found throughout India.

Botany: A large much branched shrub, twigs slender, glabrous and usually covered with numerous small lenticels.

- **Leaves**: Ovate-oblong or elliptic-lanceolate, acute or acuminate, regularly or irregularly serrate-dentate, thin, glabrous and shining above, main nerves 8-10 pairs; petiole 1.3- 2.5 cm long, glabrous or slightly hairy.
- *Flowers:* Very small, faintly fragrant, numerous, in compound, panicled, usually glabrous racemes, pedicels filiform, 1.25-2 mm long; bract 1 below the pedicel, narrowly ovate, acute, not ciliate. Calyx 1.5 mm long, divided rather more than ½ ways down. Corolla white, 2.5 mm long, marked with coloured lines, divided to the middle.
- *Fruit:* Berry globose, creamy white, about 3 mm diameter, covered almost to the apex by the persistent calyx and tipped with the short style. Seeds black.

**Properties:** Anthelmintic **Uses:** It is useful in syphilis. **Propagation:** By seeds





